

60th All India Congress of Obstetrics & Gynaecology



25<sup>th</sup> January 2017

## Operative Laparoscopy

**VENUE:** GMERS Medical Collage, Sola S.G. Highway, Ahmedabad

**Hosts:**



[www.aicog2017.com](http://www.aicog2017.com)

**Conference Secretariat:**

Ahmedabad Obstetrics & Gynaecological Society  
2nd Floor, Ahmedabad Medical Association Building,  
Ashram Road, Ahmedabad-09.

Tel: 079-26586426 • Email: [secretary@aicog2017.com](mailto:secretary@aicog2017.com)

# Operative Laparoscopy

TIME	TOPIC
09:00 – 09:15	Inauguration
<b>Session 1</b>	
09:15 – 10:45	<b>SURGICAL DEMONSTRATIONS</b>  <b>OPERATION THEATER 1</b> Total laproscopic Hysterectomy Focus: Mangeshikarmanipulater <b>OPERATION THEATER 2</b> Diagnostic laproscopy for unexplained infertility with ovarian drilling
<b>Session 2</b>	
11:00 – 12:00	<b>OPERATION THEATER 1</b> Laproscopy myomectomy with dmonstration of Morcelation in endobag <b>OPERATION THEATER 2</b> Endometriosis (Focus : adhesionlysis, choclate cyst removal, Restoration of Anatomy) <b>OPERATION THEATER 3</b> Fimbrioplasty (Terminal Block)
<b>Session 3</b>	
12:00 – 13:15	<b>OPERATION THEATER 1</b> Vault Prolapse (apical descent) <b>OPERATION THEATER 2</b> Tubal Reversal

# Operative Laparoscopy

TIME	TOPIC
	<p><b>OPERATION THEATER 3</b> Total laproscopic Hysterectomy UrogynaecologyLaprosopic</p>
13:15 – 14:00	LUNCH
<b>SESSION 4</b>	
14:00 – 15:30	<p><b>OPERATION THEATER 1</b> Ovarian Pathlogy (Cyst/ dermoid) Focus : Enucleation technique)</p> <p><b>OPERATION THEATER 2</b> TLH ( Previous CS) Focus : Bladder Dissection and visulisation of ureteric opening</p> <p><b>OPERATION THEATER 3</b> Laprosopicvaginoplasty with removal of non function horn</p>
SESSION 5	
15:30 – 17:30	<p><b>OPERATION THEATER 1</b> Demonstation of Pelvic anatomy. Extraperitoneal space, in Case of extended laproscopic hysterectomy in case Ca Cx early stage Use of Harmonic nadligasure</p> <p><b>OPERATION THEATER 2</b> Total Laprosopic Hysterectomy with BSO Focus : Blue sign. Technique of BSO, Cervical ring formation for prevention of Prolapse, Use of Clemondferand</p>

